SEQUENCE LISTING

<110> Theratechnologies Inc.
       Lussier, Bruno
       Vachon, Luc
       Allas, Soraya
       Abribat, Thierry

<120> Selection and treatment of patients suffering from wasting

<130> 85795-74

<150> 60/512,198
<151> 2003-10-20

<160> 7

<170> PatentIn version 3.3

<210> 1
<211> 30
<212> PRT
<213> Artificial sequence

<220>
<223> GRF peptide

<220>
<221> VARIANT
<222> (1)..(1)
<223> Xaa = Tyr or His

<220>
<221> VARIANT
<222> (2)..(2)
<223> Xaa = Val or Ala

<220>
<221> VARIANT
<222> (8)..(8)
<223> Xaa = Asn or Ser

<220>
<221> VARIANT
<222> (13)..(13)
<223> Xaa = Val or Ile

<220>
<221> VARIANT
<222> (15)..(15)
<223> Xaa = Ala or Gly

<220>
<221> VARIANT
<222> (18)..(18)
<223> Xaa = Ser or Tyr

<220>
<221> VARIANT

```
<222>   (24)..(24)
<223>   Xaa = Gln or His

<220>
<221>   VARIANT
<222>   (25)..(25)
<223>   Xaa = Asp or Glu

<220>
<221>   VARIANT
<222>   (27)..(27)
<223>   Xaa = Met or Ile or Nle

<220>
<221>   VARIANT
<222>   (28)..(28)
<223>   Xaa = Ser or Asn

<220>
<221>   VARIANT
<222>   (30)..(30)
<223>   Xaa = amino acid sequence of 1 up to 15 residues or is a bond

<400>   1

Xaa Xaa Asp Ala Ile Phe Tyr Xaa Ser Tyr Arg Lys Xaa Leu Xaa Gln
1               5                   10                  15

Leu Xaa Ala Arg Lys Leu Leu Xaa Xaa Ile Xaa Xaa Arg Xaa
            20                  25                  30


<210>   2
<211>   44
<212>   PRT
<213>   Homo sapiens

<220>
<221>   MISC_FEATURE
<222>   (44)..(44)
<223>   Leu residue is capped with an unsubstituted amide moiety

<400>   2

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1               5                   10                  15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly
            20                  25                  30
```

Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
        35   40

<210>   3
<211>   44
<212>   PRT
<213>   Artificial sequence

<220>
<223>   Amino acid sequence of human GRF

<400>   3

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly
            20   25   30

Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
        35   40

<210>   4
<211>   29
<212>   PRT
<213>   Homo sapiens

<220>
<221>   MISC_FEATURE
<222>   (29)..(29)
<223>   Arg residue is capped with an unsubstituted amide moiety

<400>   4

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg
            20   25

<210>   5
<211>   29
<212>   PRT
<213>   Artificial sequence

<220>
<223>   Amino acid sequence of minimum active core of human GRF

<400>   5

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg
            20   25

<210>   6
<211>   15
<212>   PRT

<213> Artificial sequence

<220>
<223> Amino acid sequence corresponding to positions 30 to 44 of human
      GRF

<400> 6

Gln Gln Gly Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
1   5   10   15

<210> 7
<211> 44
<212> PRT
<213> Artificial sequence

<220>
<223> Modified GRF peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tyr residue is linked to an hexenoyl-trans-3 moiety

<220>
<221> MISC_FEATURE
<222> (44)..(44)
<223> Leu residue is capped with an unsubstituted amide moiety

<400> 7

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly
            20   25   30

Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
        35   40

SEQUENCE LISTING AP20 Rec'd PCT/PTO 20 APR 2006

```
<110>  Theratechnologies Inc.
       Lussier, Bruno
       Vachon, Luc
       Allas, Soraya
       Abribat, Thierry

<120>  Selection and treatment of patients suffering from wasting

<130>  09555.0151USWO

<140>  New Application
<141>  2006-04-20


<150>  PCT/CA2004/001843
<151>  2004-10-20

<150>  60/512,198
<151>  2003-10-20

<160>  7

<170>  PatentIn version 3.3

<210>  1
<211>  30
<212>  PRT
<213>  Artificial sequence

<220>
<223>  GRF peptide


<220>
<221>  VARIANT
<222>  (1)..(1)
<223>  Xaa = Tyr or His

<220>
<221>  VARIANT
<222>  (2)..(2)
<223>  Xaa = Val or Ala

<220>
<221>  VARIANT
<222>  (8)..(8)
<223>  Xaa = Asn or Ser

<220>
<221>  VARIANT
<222>  (13)..(13)
<223>  Xaa = Val or Ile

<220>
<221>  VARIANT
<222>  (15)..(15)
<223>  Xaa = Ala or Gly

<220>
<221>  VARIANT
<222>  (18)..(18)
<223>  Xaa = Ser or Tyr
```

1

```
<220>
<221>  VARIANT
<222>  (24)..(24)
<223>  Xaa = Gln or His

<220>
<221>  VARIANT
<222>  (25)..(25)
<223>  Xaa = Asp or Glu

<220>
<221>  VARIANT
<222>  (27)..(27)
<223>  Xaa = Met or Ile or Nle

<220>
<221>  VARIANT
<222>  (28)..(28)
<223>  Xaa = Ser or Asn

<220>
<221>  VARIANT
<222>  (30)..(30)
<223>  Xaa = amino acid sequence of 1 up to 15 residues or is a bond

<400>  1

Xaa Xaa Asp Ala Ile Phe Tyr Xaa Ser Tyr Arg Lys Xaa Leu Xaa Gln
1               5                   10                  15


Leu Xaa Ala Arg Lys Leu Leu Xaa Xaa Ile Xaa Xaa Arg Xaa
            20                  25                  30


<210>  2
<211>  44
<212>  PRT
<213>  Homo sapiens


<220>
<221>  MISC_FEATURE
<222>  (44)..(44)
<223>  Leu residue is capped with an unsubstituted amide moiety

<400>  2

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1               5                   10                  15


Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly
            20                  25                  30


Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
        35                  40


<210>  3
<211>  44
<212>  PRT
```

<213>   Artificial sequence

<220>
<223>   Amino acid sequence of human GRF

<400>   3

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly
            20   25   30

Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
        35   40

<210>   4
<211>   29
<212>   PRT
<213>   Homo sapiens

<220>
<221>   MISC_FEATURE
<222>   (29)..(29)
<223>   Arg residue is capped with an unsubstituted amide moiety

<400>   4

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg
            20   25

<210>   5
<211>   29
<212>   PRT
<213>   Artificial sequence

<220>
<223>   Amino acid sequence of minimum active core of human GRF

<400>   5

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg
            20   25

<210>   6
<211>   15
<212>   PRT
<213>   Artificial sequence

<220>

<223> Amino acid sequence corresponding to positions 30 to 44 of human
       GRF

<400> 6

Gln Gln Gly Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
1   5   10   15

<210> 7
<211> 44
<212> PRT
<213> Artificial sequence

<220>
<223> Modified GRF peptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tyr residue is linked to an hexenoyl-trans-3 moiety

<220>
<221> MISC_FEATURE
<222> (44)..(44)
<223> Leu residue is capped with an unsubstituted amide moiety

<400> 7

Tyr Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln
1   5   10   15

Leu Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly
            20   25   30

Glu Ser Asn Gln Glu Arg Gly Ala Arg Ala Arg Leu
        35   40